

A  
**INDEX MAPS.**

**T. 36 N. R. 4 W. 2<sup>nd</sup> Mer.**

	5	5								
6	6	22	5	22	4	3	2	1		
	20		21							
6	7	20	8	21	9	10	11	12		
	18		19		Michigan	Road		Lands		
7	18	18	17	19	16	15	14	13		
	16		17						10	
7	19	16	20	17	21	22	23	10	24	3
	16		15						10	
7	30	15	29	12	28	27	26	9	25	4
	14		14	13	13	11	11		9	
8	31	13	32	13	33	12	34	11	35	8
	2		2		2	1	1		1	

**T. 37 N. R. 4 W. 2<sup>nd</sup> Mer.**

	33		32		32		32		31		31	
33	6	55	5	51	4	46	3	42	2	38	1	28
	59		55		51		47		43		39	
34	7	56	8	52	9	47	10	43	11	39	12	28
	59		56		52		47		44		39	
34	18	56	17	52	16	48	15	44	14	40	13	29
	60		57		53		48		44		40	
35	19	57	20	53	21	49	22	45	23	41	24	29
	60		58		53		49		45		41	
35	30	58	29	54	28	50	27	45	26	41	25	30
	60		58-62		54		50		46		42	
35		59		55		50		46		42		30
36	31		32		33		34		35		36	
		37		36		Michigan Road Lands						

The figures on the lines refer to the page.

1

by Township 36 North, Range 4 West. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. S.

South Boundary,

Var. 5° E.

West On S. boundary Section 36.

8.00 Enter a marsh

9.60 To a Brook 8 lks. wide cr. South

22.50 Leave the marsh

25.27 To a Y. Oak 24 in. diam?

40.00 Set gr. sec. post from which  
a Red Oak 10 in. dia. bears N 85° E 215 lks.,  
+ a Hickory 12 " " " N 81° W 166 " dist

41.98 To a Y. Oak 10 " " -

64.16 " " Do. 16 " " -

80.00 Set a post cor. sec. 35 + 36 from which  
a Br. Oak 9 in. diam. N 31° E 56 lks. dist,  
+ a W. Oak 14 " " bears N 55° W 32 lks. dist,  
Land rolling barren good soil well timbered  
with Hickory, W. G. H. W. Oak + Br. Oak,

West On S. side of sec. 35

9.25 Enter marsh - brakes & maple

23.00 Leave the Do.

25.31 To a Y. Oak 18 in. dia. in line,

27.35 " " Do. 16 " " " "

39.50 Enter a marsh

40.00 Set a gr. sec. post from which  
a W. Oak 14 in. dia. bears N 66° E 71 lks. dist,  
+ a Do. 18 " " " N 25° W 180 " "

55.00 Leave the marsh

64.81 To a Hickory 5 in. dia. -

80.00 Set post cor. Sec. 34 + 35 from which  
a Y. Oak 16 in. dia. bears N 67° E 82 lks. dist,  
+ a Do. 17 " " " N 69° E 32 " "

Dry land similar to last marshes poor soil

West On S. side of sec. 34

5.00 Enter a marsh

T. 36 N. R. 4 W. 2<sup>nd</sup>. Nov. Ind.<sup>a</sup>

- 20.50 Leave the marsh  
 40.00 Set gr. sec. post from which  
     a Br. Oak 12 in. dia, bears N 68° W. 318 ft. dist.  
     & a Do. 6 " " " S 8½° E 316 " "  
 48.50 Enter a marsh  
 54.25 To Hog creek 6 lks. wide cr. South  
 59.00 Leave marsh good grass land  
 80.00 Set post cor. Sec. 33 & 34 from which  
     a Br. Oak 13 in. dia, bears N 72½° E 66 ft. dist.  
     & a Do. 8 " " " N 5½° W 218 " "  
 Dry land similar to last. very thinly timbered  
 with small Hickories & B. Oaks. &c

Met On S. side of Sec. 33,

- 1.00 Enter a dry prairie  
 40.00 Set gr. sec. post from which  
     no bearings. Raised a mound  
 80.00 Set post cor. Sec. 32 & 33. in prairie  
     where raised a mound,  
 Land level rich 1<sup>st</sup> rate prairie.  
 a part of the Don prairie.

Met On S. side of Sec. 32,

- 21.90 To a Sac trail cr. S. W.  
 40.00 Set gr. sec. post in prairie  
     where raised a mound, (cr. S. W.  
 53.50 To a State road from Mich. city to Lafayette  
 80.00 Set post cor. Sec. 31 & 32 in prairie,  
     where raised a mound,  
 Land same as on last mile some Hazebs  
 on the W½. —

Met On S. side of Sec. 31

- 24.50 Leave dry prairie & Enter a marsh  
 40.00 Set gr. sec. post in marsh  
     where raised a mound,

# T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

69.20 Intersect the W. boundary at 5.66.44 & set post cor. Towns 35 & 36 N. Ranges 4 & 5 W. in marsh where raise a mound.

Dry prairie same as last. marsh wet & mucky but some parts may be used for mowing  
Note. Var. on 3<sup>rd</sup> last miles 5<sup>th</sup> E. on 4<sup>th</sup> mile, 5<sup>th</sup> 08' E. on 5<sup>th</sup> mile 5<sup>th</sup> 14' E & yet the line is straight. February 21<sup>st</sup> - 1834.

Surveyed by - Robert Clark, Dep. Sur.

## East Boundary.

Run this line North on Random and at 3 miles 7.50 M. Intersect Michigan road land & correct the line at Var. 7<sup>th</sup> 15' E. (which is supposed to be very near the course of the E. side of T. 35 N. R. 4 W.). from the mound at the S. E. corner of sec. 13. Mer. R. lands. -

South On E. side of Sec. 24 -

16.00 Leave dry prairie & Enter a marsh  
 39.00 Leave marsh on a point of dry land E.  
 41.29 To a Y. Oak 19 in. dia. -  
 43.00 " " Lake & set post from which  
     a W. Oak 13 in. dia. bears N 20<sup>th</sup> E 162 M. dist.  
     & a Do. 14 " " " N 50<sup>th</sup> E 110 " "

47.50 Dr. sur. cor. in lake

78.74 Leave lake & set post from which  
     a Y. Oak 19 in. dia. bears N 25 W 29 M. dist.  
     & a W. Oak 16 " " " S 56<sup>th</sup> E 104 " "

87.50 Set post cor. to sec. 24 & 25 from which  
     a W. Oak 16 in. dia. bears S 21<sup>th</sup> W 54 M. dist.  
     & a Do. 14 " " " N 67 W 42 " "

Dry land N. of lake 1<sup>st</sup> rate prairie & S. of prairie rolling barrens -

South On E. side of Sec. 25.



T. 36 N. R. 4 W. 2<sup>nd</sup> Nov. Ind.

- 16.07 To a W. Oak 14 in. dia. —  
 26.00 Entered a marsh  
 39.00 Leave the Do.  
 40.00 Set gr. sec. post from which  
     a Y. Oak 20 in. dia. bears S. 44° W 82 M. dist,  
     + a Do. 16 " " " S 78 E 50 " "  
 42.98 To a Y. Oak 16 " " —  
 45.32 " " W. Oak 8 " "  
 46.00 Entered a marsh  
 50.50 To a brook 6 M. wide cr. S. E. Handrow  
 61.00 Leave the marsh  
 73.50 Entered a marsh  
 80.00 Set post cor. sec. 25 & 36 from which  
     a Hickory 15 in. dia. bears N 74 W 85 M. dist,  
     no other near  
 Dry land & the timber same as last  
 marsh a good mowing meadow.

## South On E. side of Sec. 36

- 40.00 Set gr. sec. post from which  
     a Y. Oak 17 in. dia. bears N 84° W 518 M. dist,  
     + a W. Oak 16 " " " S 57° W 511 " "  
 67.00 Leave the marsh  
 80.00 To the Town, corner, Bearings —  
     of Cor. To. 35 & 36 to R. 3 & 4 W. —  
     a Hickory 18 in. dia. bears N 42° W 160 M. dist &  
     " Do. 14 " " " S 52½ E 29 " "  
 Dry land same as last, marsh mostly too  
 wet for crop. Var. 7.15 E. February 20<sup>th</sup> 1834,  
 Surveyed by  
 Robt. Clark. Dep. Sur.

## North Boundary,

Var. 5.55 E.  
 From post at S. W. corner of sec. 33.  
 Surveyed for Michigan Road lands.

T. 36 N. - R. 4 W. 2<sup>nd</sup> Nov. Ind<sup>a</sup>

West On S. side of Sec. 32,  
 18.25 To a Brook 15 lks. wide cr. N.W.,  
 23.70 " " Do. 5 " " " N.E.,  
 26.88 " " Beech 20 in. dia.,  
 31.93 " " Do. 18 " "  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Beech 18 in. dia. bears N 70 E 13 lks. dist &  
 a Do. 20 " " " N 4 W 28 " "  
 42.11 To a Beech 15 " "  
 43.70 " " Brook 3 lks. wide cr. S.W.,  
 44.10 " the same 4 " " " N.E.,  
 63.12 " a Beech 18 in. dia.,  
 79.75 " " Brook 4 lks. wide cr. N.E.,  
 80.00 Set a post cr. Sec. 31 & 32 from which  
 a Beech 14 in. dia. bears N 5 1/4 W 36 lks. dist,  
 & a Do. 18 " " " N 83 3/4 E 64 " "  
 Land rolling good soil (clay) heavily  
 timbered with Sugar, Beech, ash, Lynn  
 Poplar, some Walnut & Oak &c

West On S. side of Sec. 31  
 8.43 To a Beech 14 in. dia. -  
 34.00 " " Beech 10 " "  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Sugar 10 in. dia. bears N 65 1/4 W 14 lks. dist,  
 & a Do. 24 " " " N 19 3/4 E 46 " "  
 58.63 To a Hickory 17 " "  
 63.18 Enter prairie bottom  
 67.19 Intersect West boundary. 6.05.59 lks.,  
 Set post cor. Towns 36 & 37 N Range 4 & 5 W.,  
 a W. Oak 13 in. dia. bears N 67 1/2 E 388 lks. dist,  
 & an Elm 12 " " " S 62 1/2 W 344 " "  
 Land &c. same as last. (Var. 57.53 E.)  
 Surveyed in 1834 - by  
 Robt. Clark. Dep. Sur.

T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind. a

C. S.

## West Boundary,

Var. 7.02'E,

after having run this line North on  
Random. Correct as follows: -

- South On E. side sec. 1 T. 36 N. R. 5 W.  
 10.00 To a Brook 15 lbs. wide cr. N. W.  
 17.00 Leave timbered bottom  
 21.00 To a dwelling house 250 lbs. E.  
 31.50 " " W. Oak 36 in. dia.  
 45.59 Set gr. sec. post from which  
     a Beech 16 in. dia. bears S 53 W 24 lbs. dist.  
     & a Do. 8 " " " N 14 W 13 " "  
 52.00 To a Brook 5 lbs. wide cr. N. W.  
 71.00 " " Do. 10 " " " N. W.  
 72.19 " " Spruce 18 in. dia.  
 85.59 Set post cor. sec. 1 & 2 T. 36 N. R. 5 W.  
     a Sugar 6 in. dia. bears N 12 W 10 lbs. dist.  
     & a Do. 15 " " " S 89 W 12 " "  
 Bottoms 1<sup>st</sup> rate up land rolling 2<sup>nd</sup> rate  
 Timber, Sugar, Spruce, Beech, Oak, Ash, Poplar  
 Blue &c. Some wet places,

- 
- South On E. side of sec. 12 T. 36 N. R. 5 W.  
 1.17 To a Beech 15 in. dia.  
 1.55 " " Brook 3 lbs. wide cr. N. W.  
 30.10 " " Beech 8 in. dia. in the line,  
 40.00 Set gr. sec. post from which  
     a Sugar 12 in. dia. bears N 71 E W 3 1/2 lbs. dist.  
     & a W. Walnut 12 in. dia. bears S 59 W 55 " "  
 55.00 To a Beech 30 " "  
 68.64 " " Sugar 16 " "  
 80.00 Set post cor. Sec. 12 & 13 from which  
     a Sugar 30 in. dia. bears N 50 W 14 lbs. dist.  
     & a Beech 14 " " " N 47 W 40 " "  
 Land &c. same as on last mile,
-

7

sup  
T. 36 N. R. 4 W. 2<sup>nd</sup>. New, Ind.?

South On E. side Sec. 13 T. 36 N. R. 5 W,  
 13.50 To a Sugar 15 in dia,  
 34.74 " an Elm 19 " "  
 40.00 Set gr. Sec. post from which  
 a Lynn 8 in dia, bears N 20 W 20 th. dist,  
 & a Sugar 10 " " " S 62 W 39 " "  
 53.13 To a Brook 6 th. wide in, S. E  
 durability doubtful,  
 53.50 To an Indian trail in, W,  
 65.81 " " Elm 7 in dia,  
 69.00 " a Sugar 15 in dia,  
 80.00 Set post cor. Sect. 13 & 24 from which  
 a Maple 13 in dia, bears N 6 W 13 th. dist,  
 & an Elm 12 " " " S 70 W 30 " "  
 Land same as last, some wet places,

---

South On E. side Sec. 24 T. 36 N. R. 5 W,  
 20.50 To a Sugar 18 in dia,  
 40.00 Set gr. Sec. post from which  
 a W. Oak 40 in dia, bears S 60 W 38 th. dist,  
 & a Poplar 18 " " " N 76 W 32 " "  
 41.15 To a W. Oak 36 " "  
 42.84 " " Lake & set a post from which  
 a W. Oak 16 in dia, bears N 57 1/2 W 27 th. dist,  
 & a Do. 8 " " " S 82 1/2 E 19 " "  
 66.00 Over Lake & set post from which  
 a W. Oak 18 in dia, bears S 45 W 11 th. dist,  
 & a Do. 18 " " " S 66 E 37 " "  
 post set in a mound  
 80.00 Set a post cor. Sect. 24 & 25 from which  
 a W. Oak 26 in dia, bears N 50 W 23 th. dist,  
 & an Elm 9 " " " S 84 W 23 " "  
 Land &c. same as on last mile,

---

South On E. side of Sec. 25 T. 36 N. R. 5 W,  
 2.00 To an Indian trail in, S. W,



T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

- 8.50 Traveled road to Chicago, en. W,  
 31.38 To a Spruce 16 in. dia.,  
 40.00 Set gr. sec. post from which  
     a B. Oak 11 in. dia. bears N 55 $\frac{1}{4}$  W 32 $\frac{1}{2}$  M. dist.  
     + an Elm 11 " " " S 57 $\frac{1}{2}$  W 23 " "  
 50.00 To great Crooked creek mark  
 51.00 " old Sac. Indian trail from Detroit to  
     the "Mikippippi" en. W. by S,  
 80.00 Set post en. to sec. 25 & 36 from which  
     a Red Oak 17 in. dia. bears N 82 $\frac{1}{4}$  W 106 M. dist.,  
     + a D.O. 14 " " " S 71 $\frac{1}{2}$  W 89 " "  
 N. of Marsh Land &c. same &c

- South On E. side of Sec. 36 T. 36 N. R. 4 W.  
 40.00 Set gr. sec. post from which  
     no bearings - Raise a mound  
 65.50 To Crooked creek 10 M. wide en. S. W.,  
 80.00 To Low corner,  
 Land all marsh. Var. 7 $^{\circ}$  02' E, -  
 Surveyed in 1834 by  
 Robt. Clark, Dep. Sur,

## Subdivisions.

- (Var. 6 $^{\circ}$  50' E.)  
 North Random Between sec. 35 & 36  
 12.00 Leave timber & enter marsh  
 35.50 Leave marsh & enter timber  
 45.00 Leave timber & enter marsh  
 80.00 " marsh & enter timber  
 88.25 Intersect line of Michigan Road lands 7.25 M.  
     East of post cov. sec. 25 & 26. 35 & 36 & set cov. from wh.  
     a W. Oak 18 in. dia. bears N 6 $\frac{1}{2}$  E 47 M. dist. &  
     a Hickory 12 " " " S 43 $\frac{1}{2}$  W 36 " "  
 Land mostly marsh 3 $\frac{1}{2}$  rate timber on dry  
 parts G. Oak, Hickory, W. Oak, &c., whortleberry bushes &c.



9

S. 36 N. N. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

S4.55<sup>W</sup> correct between sections 35 & 36,  
 .74 To a Hickory 12 in. dia.,  
 2.44 " " W. Oak 12 " "  
 48.00 Set gp. sec. post from which  
     a Y. Oak 7 in. dia. bears S76°W 11½ M. dist.,  
     & a Hickory - " " " N71°E 26 " "  
 88.35 To the Sec. corner,

East On Handover between Sec. 25 & 36  
 (Var. 4°45'E.)

.76.00 Leave timber & Enter marsh  
 89.00 To Range line, 90 M. N. of post.  
 Land mostly dry level & 3<sup>rd</sup> rate & the  
 timber is Y. Oak. W. Oak & Hickory. Redstart trees

N84.40<sup>W</sup> correct the line between Sec. 25 & 36  
 21.72 To a Y. Oak 24 in. dia.,  
 40.25 Set gp. sec. post from which  
     a Hickory 10 in. dia. bears S89°E 49 M. dist.,  
     & a Do. 6 " " " S6½°E 17 " "  
 88.96 To the sec. corner,

N. 73°0'E On line of Mich. R. lands between sec. 25 & 26.  
 20.25 Leave timber & Enter marsh  
 41.00 To original 1/4 post of M. R. L. in marsh  
     a Y. Oak 7 in. dia. bears N6½°E 5.81 M. dist.,  
     no other near,  
 45.00 Leave marsh & Enter timber small  
 50.00 Enter open land  
 81.00 To pond, no post. mound or any other -  
     appearance of a corner, set post  
     when raise a mound in edge of water  
     in pond. cor. Sec. 23, 24, 25 & 26  
     Land S½ same as last. marsh 3<sup>rd</sup> rate  
     N½ mostly dry & 2<sup>nd</sup> rate. S½ Y. Oak W. Oak  
     Y. Oak. Hickory. & N½ openings. scattering bushes,

S. 36 N. R. 4 W. 2<sup>nd</sup>. New, Ind:

East Over Randon between sec. 24 & 25 -  
 pond impassible, offset S. 4.00 -  
 East 15.50 - N. 4.00 to line,  
 15.50 Over pond  
 39.00 Enter a marsh  
 45.00 Impassible do. Offset S. 5.00 -  
 E. 35.50 - N. 5.00 - to line & leave marsh  
 80.15 Intersect 35<sup>th</sup> M. N. of post  
 Land nearly all marsh & 3<sup>rd</sup> rate,

N 84<sup>th</sup> W Correct the line between sec. 24 & 25  
 2.25 Enter a marsh  
 40.25 Set q<sup>r</sup>. sec. post in marsh & water -  
 a Y. Oak 6 in. dia. bears S 76<sup>1</sup>/<sub>2</sub> W 141 M. dist.  
 86.15 To sec. corner. July 17<sup>th</sup> 1834.

N. 74<sup>th</sup> E Between sections 23 & 24 on line of M. R. L.  
 pond impassible, offset W. 11. chs. N. 19.25.  
 East, 11 chains to line,  
 19.25 Over pond & marsh  
 36.00 To lake impassible, offset E. 5 chs.  
 N. 4.00 chs. - West 5 chs. to line,  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Y. Oak 20 in. dia. bears N 19 W 11.87 M. dist,  
 no other given,  
 57.30 Enter a field,  
 81.50 Set post cor. sec. 13, 14, 23 & 24 from which  
 a W. Oak 8 in. dia. bears S 8 E 239 M. dist,  
 no other given,  
 Land except pond sec. rate, scattering W. Oak,  
 Y. Oak &c. Hazel, Berries & Red root &c,

S 88<sup>th</sup> E On line of M. R. L. betw<sup>en</sup> sec. 13 & 24 (Randon)  
 41.40 Original <sup>1</sup>/<sub>4</sub> sec. post on M. R. line  
 42.50 Enter grove of timber  
 82.90 To Randon line cor. sec. 13 & 24 Land W<sup>2</sup> is

11

by  
T. 36 N. R. 4 W. 2<sup>d</sup>, New, Ind<sup>a</sup>

C. L. Land W. E prairie border of Laporte. E<sup>2</sup>  
some thick timber soil dry & first rate  
in grove timber is Sugar Lynn. & the  
red, etc. Pawpaw Hazel Sumack &c

---

N 88 W. Correct the line between sec<sup>s</sup>, 13 & 24  
40.00 Set g<sup>r</sup>. sec. post from which  
a Hickory 3 in dia. bears S 66<sup>2</sup> E 56 M. dist  
& a Sassafras 3 " " " S 31<sup>2</sup> E 110 " "  
82.90 To the sec. corner,

---

S 88 W Between sec<sup>s</sup>, 26 & 35 on M. R. L.  
20.00 Leave timber & Enter marsh  
40.57 To g<sup>r</sup>. sec. cor. in mound. M. R. L.  
43.50 Leave marsh & Enter scattering B. Oak.  
81.20 To post in mound. edge of a small lake  
Land E<sup>2</sup> part marsh & 3<sup>d</sup> rate & the  
timber is G. Oak, W. Oak, Hickory, B. Oak  
Brakes & Red root. W<sup>2</sup> mostly dry & 2<sup>d</sup> rate  
B. Oak, scattering brakes & Red root, thick,

---

S 4 E On Random between sections 34 & 35  
17.50 Enter a marsh  
85.10 Intersect town line, S. bound<sup>y</sup>, 2.31 M. W.  
of post. Land 1<sup>st</sup> A. end dry level 3<sup>d</sup> rate  
& the timber is B. Oak & Hazel bushes  
Rem<sup>r</sup>, all marsh & 3<sup>d</sup> rate,

---

N 3.35 W Correct line between sec<sup>s</sup>, 34 & 35  
40.30 Set g<sup>r</sup>. sec. post in marsh & water  
no bearings near  
85.10 To the sec. corner,

---

West Between sections 27 & 34. M. Road land,  
Begin in dry smooth prairie  
41.00 Dr. sec. post & mound, opened pit. E. of post,

# T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

82.00 To post, in mound, pit W. 5<sup>th</sup> dist,  
 cov. sec. 27+28, 33+34. M. R. L. -  
 Land smooth prairie 1<sup>st</sup> rate,

S. 6 E On Random between sec. 33+34  
 cor. in field,

20.38 Leave the do,

62.10 Enter field

68.50 Leave the do,

85.10 Intersect the S. boundary 107<sup>th</sup> M. W. of post  
 Land dry prairie 1<sup>st</sup> rate & the timber  
 growth Hazel brakes. wild Indigo Milk, Robin  
 weed & prairie grass &c

N. 67.50 W Correct the line between sec. 33+34

440.30 Set gr. sec. & raise a mound

80.55 Set post & raise a mound cor. sec. 33+  
 28 in a field. (July 18<sup>th</sup> -)

N. 73.0 E Between sections 27+28 line of M. R. L.

4.60 To post & mound cor. sec. 27+34 M. R. L.

24.50 Enter field

45.50 Leave the field,

45.59 Set post & raise mound cor. fac. sec.  
 28. original cor. M. R. L.  
 Land dry prairie 1<sup>st</sup> rate,

S. 89.0 W. On line M. R. L. N. side fac. sec. 28,

.5 Enter a field

41.25 Set gr. sec. post & raise mound,  
 original 1/4 sec. post M. R. L.

59.25 Leave field.

82.50 original cor. ~~27+28~~ 28+29 M. R. L.

Set post & raise a mound

Land smooth level prairie 1<sup>st</sup> rate



T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

S. 5.30<sup>0</sup>E Random from N.W. cor. frac. 28 -  
124.50 Intersect town line 29<sup>th</sup> M. E. of post.

N 5.23<sup>1</sup>/<sub>2</sub> W Between sections 32 & 33

40.30 Set g<sup>n</sup>. sec. post & raise a mound

74.00 Entered a field

80.60 Set post cor. sec. 28, 29, 32 & 33

where raise a mound.

Land dry smooth prairie 1<sup>st</sup> rate,

East On Random between sections 28 & 33

5.25 Leave field

77.40 Intersect E. line of sec. 90 M. N. of post

Land dry prairie 1<sup>st</sup> rate -

N 89.22<sup>1</sup>/<sub>2</sub> W Correct the line between sec. 28 & 33.

38.70 Set g<sup>n</sup>. sec. post & raise a mound

77.40 To the sec. corner,

N 5.23<sup>1</sup>/<sub>2</sub> W Between frac. sec. 28 & 29

30.07 Leave field

43.90 Set post raise mound cor. frac. sec. 28 & 29  
Michigan Road land,

N 1.32<sup>1</sup>/<sub>2</sub> E On line M.R.L. between frac. 28 & 29

80.90 Set post cor. sec. 28 & 29 from which  
a Sugar 16 in. dia. bears S 14 E 5 M. Dist 8  
& a Hickory 6 " " " N 37 W 30 " "

40.45 Set g<sup>n</sup>. sec. post from which  
a Cherry 8 in. dia. bears S 63 E 142 M.  
no other near,

Land S. E prairie. N<sup>1</sup>/<sub>2</sub> thick timber  
1<sup>st</sup> rate. timber Sugar Walnut Lynd.

July 19<sup>th</sup> 1834 -

North From T. line between sec. 31 & 32



T. 36 N. R. 4 W. 2<sup>nd</sup>, New Ind<sup>a</sup>

39.76 Enter timber at an Aspen 5 in. dia,  
 40.00 Set gr. sec. post from which  
 an Aspen 5 in. dia. bears South 24<sup>th</sup> M.  
 & Do. 4 " " " N 4<sup>th</sup> W 22 " dist,  
 43.51 To a Sassafras 9 in. dia,  
 53.50 Leave grove & Enter marsh  
 80.07 Set post in marsh & water, no bearings  
 Cor. Secs 29, 30, 31 & 32, —  
 Land  $\frac{1}{2}$  prairie dry & separate Hazel  
 & Willows, brakes & Red root,  $\frac{1}{2}$  part grove  
 & part marsh. Land in grove dry rich &  
 separate timber, butternut, Lym Sassafras  
 Hickory Oak & Hazel bushes. Marsh  $\frac{1}{2}$  rate

East On Random between sections 29 & 32  
 35.50 Leave marsh & Enter scattering timber  
 40.00 Set stump, gr. sec. post & Enter dry prairie  
 68.05 Enter field  
 73.07 Intersect E. line of sec. 5 M. S. of post,  
 Land  $\frac{1}{2}$  marsh  $\frac{1}{2}$  rate  $\frac{1}{2}$  prairie  $\frac{1}{2}$  rate

West Correct the line between sec. 29 & 32  
 33.00 Set gr. sec. post from which  
 a B. Oak 15 in. dia. bears S 13<sup>th</sup> E 34<sup>th</sup> M. dist  
 & a W. Oak 30 " " " N 65<sup>th</sup> W 189. "  
 70.00 To the sec. corner,

West On Random Between Secs. 30 & 31  
 69.70 Intersect Range line 96 M. S. of post  
 Land all marsh &  $\frac{1}{2}$  rate.

S 89.13 E correct the line between sec. 30 & 31  
 29.70 Set gr. sec. post from which  
 no bearings. cor. in deep water in marsh  
 69.70 To the sec. corner,  
 Bearings on Range line, cor. sec. 30 & 31—

15

by  
T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind?

C. S. a Spruce Oak 18 in dia, bears N 83° W 106 th. dist,  
 & a " Do. 14 " " " S 71° W 89 " "  
 (omitted in right place in the original)

North Between sections 29 & 30

35.00 leave mark & enter timber  
 40.00 Set gr. sec. post from which  
     a W. Oak 20 in dia, bears S 13° W 24 th. dist,  
     & a Do. 24 " " " S 86° E 115 " "  
 50.21 To a Hickory 6 " " in the line,  
 57.80 " " Y. Oak 24 " " " "  
 67.06 " " Spruce 16 " " —  
 80.00 Set post cor. sec. 19. 20. 29 & 30 from which  
     a Sugar 24 in dia, bears South 11 th. dist,  
     & a Do. 14 " " " N 35° E 20 " "  
 Land S  $\frac{1}{2}$  mark 3<sup>rd</sup> rate N  $\frac{1}{2}$  level dry  
 2<sup>nd</sup> rate, Spruce Sugar Walnut Ash Elm  
 Oak Hickory Ironwood &c., Sugarbrush &c.

East On Random between sec. 20 & 29

24.00 Leave timber & enter mark  
 35.00 Leave mark & enter timber  
 71.36 Entered line of Mich. Road lands 355 ths,  
 S. of post cor. sec. 21 & 28 M. R. L. set post  
 cor. sec. 20 & 29. Land some marsh  
 on W  $\frac{1}{2}$  nearly dry E. fair, dry rich & 1<sup>st</sup> rate  
 Timber, Spruce, Walnut & Sugar, Ash Elm  
 Oak, Alder, Elm, Sugar Ironwood Hazel &c.

West Correct the line between sections 20 & 29

31.36 Set gr. sec. post from which  
     a Red Oak 8 in dia. bears N 40° E 16 th. dist,  
     & a W. Oak 10 " " " N 11° E 26 " "  
 33.50 To a Bl. Walnut 30 " —  
 71.36 To the sec. corner,

my  
S. 36 N. R. 4 W. T. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

West On Random between Sec. 19 & 30  
69.30 Entered Range line 25 M. S. of post  
Land level mostly dry & 2<sup>nd</sup> rate & the  
timber is Sugar, Lyrw, Poplar, Walnut,  
ash, Elm, Oak, Hickory, Ironwood & sugar brush,

S. 89.48 E. Correct the line between Sec. 19 & 30  
a Lyrw 5 in. dia. bears -  $73\frac{1}{2}^{\circ}$  E 24 M. dist.  
& a Do 4 " " " N 56 E 54 " "  
5.54 To an ash 10 " " in the line,  
11.54 " a Sugar 30 in. dia.,  
29.30 Set gr. Sec. post from which  
an aspen 9 in. dia. bears  $111\frac{1}{2}^{\circ}$  E 16 M. dist.,  
& a Maple 22 " " " S 81 $\frac{1}{2}^{\circ}$  W 26 " "  
69.30 To Sec. corner, July 20<sup>th</sup> 1834,

North Between sections 19 & 20,  
4.15 To a Beech 15 in. dia.,  
17.11 To a W. Walnut 20 in. dia.,  
35.51 " " Sugar 6 " "  
40.00 Set gr. Sec. gr. sec. post from which  
a Sugar 16 in. dia. bears S 55 E 24 M. dist.,  
& a Do. 12 " " " N 55 W 8 $\frac{1}{2}^{\circ}$  " "  
49.13 To a Red Oak 30 in. dia. in the line,  
73.64 To a Lyrw 6 " "  
80.00 Set a post cor. Sec. 17, 18, 19 & 20 from which  
a Beech 24 in. dia. bears S 70 E 23 M. dist.,  
& a Sugar 9 " " " S 55 W 12 " "  
Land level dry & 2<sup>nd</sup> rate & the timber  
heavy Sugar, Lyrw, Walnut, Beech, Poplar,  
ash, Elm, S. Oak, Sugar & Ironwood brush

West On Random between sections 18 & 19  
68.57 Entered W. boundary 30 M. S. of post  
Land dry level & 2<sup>nd</sup> rate. The timber  
is Beech, Sugar, Lyrw, Poplar, ash Walnut

17

<sup>up</sup> S. 36 N. - R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L. Oak, Hickory, B. Gum Elm, Mud, Ethe, Iron,  
Sugar & Spice bushes, —

- 
- 89.45 E correct the line between sec<sup>s</sup> 18 & 19  
W. Elm 5 in. dia, bears S 85 E 8 M. dist,  
+ a B. Gum 10 " " " N 46 E 17 " "
- 4.57 To an ash 20 " "
- 10.53 " a Span. Oak 40 in. dia,
- 28.57 Set gr. sec. post from which  
an Ironwood 7 in. dia bears S 86 16 M. dist,  
+ a Sugar 20 " " " N 70 W 40 " "
- 29.17 To a Poplar 30 " " —
- 38.75 " " Sugar 11 " "
- 49.00 " an Elm 20 " "
- 68.57 To sec, corner,

- 
- East Between Sections 17 & 20,
- 9.70 To a Span Oak 24 in. dia,
- 16.10 " " Beech 20 " "
- 23.27 " " Bl. Walnut 36 " "
- 38.95 " " Sugar 10 " "
- 40.07 Set gr. sec. post from which  
a Sugar 22 in. dia, bears S 10 W 7 M. dist,  
+ a Do. 8 " " " N 48 W 8 " "
- 46.32 To a Sugar 24 in. dia,
- 55.56 " " Do. 9 " "
- 73.58 Intersect Mich. R. land 5.05 M. S. of post,  
Set post cor. sec<sup>s</sup> 17 & 20 from which  
a Sp. Ash 10 in. dia, bears S 56 E W 13 M. dist,  
+ an Elm 16 " " " N 23 E W 19 " "
- Land rolling with small marshes  
2<sup>nd</sup> rate, timbered Beech, Sugar, Walnut,  
Poplar, Ash, Elm, Oak, Hickory, Sugar Iron,  
Poplar & Spice & —

---

S. 32 W On line of M. R. L. Betw<sup>g</sup> sec<sup>s</sup> 20 & 21



S. 36 N. R. 4 W. T. New Ind.<sup>a</sup>

36.15 Dr. Sec. post on c/o. R. lands  
 77.16 Sec. cor. post on " " "  
 80.34 Set post cor. sec. 20, & 29 -  
 Land at  $\frac{1}{2}$  sec. rate &  $\frac{1}{2}$  first rate &  
 timber Sugar, Beech, Walnut, Ash Elm  
 Hickory, Poplar, Oak &c. Mud & the Sugar  
 Hickory, Spice & pawpaw &c

North Correct between sec. 20 & 21  
 40.17 Set g<sup>r</sup>. sec. post from which  
 a Sugar 14 in dia. bears N 63 E 15 th. dist,  
 & a Do. 18 " " " S 80 W 40 " "  
 80.34 To the Sec. corner, July 21<sup>st</sup> 1834

North Between Sections 17 & 18,  
 44.40 To a Sugar 22 in dia.  
 33.42 To a Lyrus 24 " "  
 40.00 Set g<sup>r</sup>. sec. post from which  
 a Beech 8 in dia. bears S 34  $\frac{1}{2}$  E 33 th. dist,  
 & a Do. 14 " " " N 46 W 28 " "  
 46.82 To a Lyrus 20 " " in the line,  
 53.81 " " Beech 18 " " " "  
 71.50 " " Dry Run at E. corner,  
 78.00 " " " Do. cor. E,  
 80.00 Set a post cor. sec. 7, 8, 17 & 18 from which  
 a Sugar 18 in dia. bears South 17 th. dist,  
 & a Beech 9 " " " N 58 W 18 " "  
 Land S  $\frac{1}{2}$  rolling dry & N  $\frac{1}{2}$  hilly dry  
 & sec. rate. Beech, Sugar Walnut Ash Elm  
 Hickory Oak, Lyrus, Mud, &c. Ironwood Sugar  
 Beech & Pawpaw bushes &c

West On Random between sec. 7 & 18,  
 67.60 Intersect W. boundary 30 th. S. of post,  
 Land rolling dry & sec. rate & the timber  
 is Sugar, Lyrus, Ash, Beech, Walnut Hickory



19

by  
T. 36 N. R. 4 W. 3<sup>rd</sup> Mer. Ind.<sup>a</sup>

C. L. Lind. Growth pawpaw Sugar Ironwood &c,

89.456 Corred the line between Sec. 9, 17 & 18,  
a Lynn 30 in. dia. bears S 82° E 25 lks. dist,  
to Beech 18 " " " at 3622 " "  
3.70 To a Beech 18 " "  
7.05 " " Sugar 24 " "  
27.60 Set gr. sec. post from which  
a Beech 18 in. dia. bears S 66° W 23 lks. dist,  
to a Dr. 7 " " " N 12° E 27 " "  
39.48 To a Beech 24 " "  
67.60 To Sec. corner,

East Between Sections 8 & 17  
5.66 To a Sugar 20 in. dia.,  
11.77 " " Beech 6 " "  
14.90 " " Dry run cr. N.E.,  
29.00 " " Beech 22 in. dia.,  
35.33 " " W. Walnut 9 " "  
40.00 Set gr. sec. post from which  
a Beech 20 in. dia. bears S 74° W 16 lks. dist,  
to an Elm 8 " " " N 51° E 13 " "  
57.90 To a Span. Oak 22 in. dia.,  
63.18 " " Lynn 24 " "  
75.63 " Mich. Road lands line & set post cor. sec.,  
8 & 17, from which a  
Sugar 24 in. dia. bears N 77° W 13 lks. dist,  
to a Beech 12 " " " S 16° W 12 1/2 " "  
Land dry hilly & 3. rate clay soil & the  
timber is Beech Sugar Lynn, Ash, Oak  
Elm Poplar. Walnut. Beech & Ironwood &c,

S 1° 32' W On line of M. R. L. betw. Sec. 16 & 17,  
33.54 Dr. sec. cor. on 16 M. R. L.,  
74.45 Sec. cor. of sec. 16 & 21 M. R. L.,  
79.75 To post cor. sec. 17 & 20.

by  
T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

North Correct the line between sec. 16 & 17  
39.8 $\frac{1}{2}$  Set gr. sec. post from which  
a Beech 30 in. dia, bears at 20 W 12 $\frac{1}{2}$  M. dist,  
& a Do. 15 " " " S 53 W 46 " "  
Land rolling S $\frac{1}{2}$  sec. rate & N $\frac{1}{2}$  3 $\frac{1}{2}$  rate  
clay soil. & the timber is Beech Sugar  
Lynw, Ash Walnut, Elm Hickory Sugar  
Ironwood & Beech bushes. July 22<sup>nd</sup> 1834.

North Between Sections 7 & 8  
6.50 To a Span. Oak 34 in. diam.  
22.00 " " Sugar 24 " "  
26.00 " " Deep ravine  
40.00 Set gr. sec. post from which  
a Lynw 20 in. dia, bears South 18 M. dist,  
& an Ash 20 " " " at 25 E 8 " "  
51.50 To a Sugar 22 " "  
56.10 " " Large Sulphur spring 1. E. W. line E.  
63.12 " " Lynw 20 in. diam.  
75.50 " a Creek 25 M. wide cr. N. W. brisk  
current. Shallow pure water, branch of Calamuch  
80.00 Set a post cr. sec. 5, 6, 7 & 8 from which  
a W. Elm 7 in. dia, bears East 6 M. dist,  
& a Do. 6 " " " at 40 W 15 " "  
Land hilly deep hollows 2<sup>nd</sup> rate & the  
timber is heavy, Lynw, Beech Sugar  
Poplar Ash Walnut Hickory &

West On Random between sec. 6 & 7  
6.36 To a branch of Calamuch 25 M. wide N. W.  
19.21 a Spring runs N. & Do. S. W. 4 M.,  
25.00 " Do. (large) 50 M. N. of line cr. N. E.  
44.25 " Brook 4 M. wide cr. N.  
67.50 Intersect Range line 28 M. S. of post.  
Land E.  $\frac{1}{2}$  bottom, rich. 1<sup>st</sup> rate. W $\frac{1}{2}$  2<sup>nd</sup>  
rate & the timber is Beech, Sugar ash

by  
S. 36 N. R. 4 W. 2<sup>nd</sup>. Mer. Ind<sup>a</sup>.

Co. L, Butternut, Elm, Lym, & Mid. E. B. paw,  
paw. Ironwood & Sugar bushes &

East On Correction between sec<sup>s</sup> 6 & 7  
a Beech 5 in dia, bears East 16 M. dist,  
& a Do. 6 " " " N 26 E 12 " "  
16.09 To a sap, Ash 18 in dia,  
27.50 Set gr. sec, post from which  
a Lym 4 in dia, bears S 66  $\frac{1}{2}$  W 7 M. dist,  
& an Ash 5 " " " East 22 " "  
67.50 To the sec. cor,

East Between sections 5 & 8,  
11.13 To a Beech 12 in dia,  
15.19 " " Hickory 10 " "  
24.14 " " Cherry 24 " "  
28.22 " " Brook 4 M. wide as N.W.,  
40.00 Set gr. sec, post from which  
a Sugar 9 in dia, bears East 10 M. dist,  
& an Ironwood 8 " " " N 9 E 16 " "  
43.80 To a Hickory 18 " " in the line,  
49.21 " " W. Walnut 6 " "  
53.40 " " Brook 3 M. wide as N.W.,  
67.70 " " W. Oak 24 in dia,  
77.50 Intersect line of M. R. L. & set post.  
cor. sec<sup>s</sup> 5 & 8 from which  
a Sugar 4 in dia bears S 46  $\frac{1}{2}$  W 25 M. dist  
& an Elm 9 " " " N 46  $\frac{1}{2}$  E 40 " "  
Land hilly & 3<sup>rd</sup> rate & the timber is  
Beech, Sugar, Lym, Oak, Ash Hickory

S 1 $^{\circ}$  32' W On line of M. R. L. between sec<sup>s</sup> 8 & 9  
80.07 To sec. cor of sec<sup>s</sup> 8 & 17, -

North Correct between Sec<sup>s</sup> 8 & 9, M. R. L.  
40.03  $\frac{1}{2}$  Set gr. Sec. post from which

<sup>my</sup> J. 36 N. - R. H. W. 2<sup>nd</sup>. New Ind.<sup>a</sup>

C. L. Beech 30 in. dia, bears at 25° E 8 M<sup>rs</sup> dist,  
 & an Elm 5" " " S 47° W 25" "  
 Land at 1/2 rothing dry & sec. rate & 1/2  
 tolerably level good 2<sup>nd</sup> rate, timber is  
 Beech, Sugar, Walnut Ash Elm Oak,  
 Hickory, Ironwood, & Mt. gth, Pawpaw,  
 Sugar & Ironwood bushes.

N. 32° E Between sections 4 & 5, line of M. R. L.  
 8.50 Sec. cor. to sec. 4 & 9 M. R. L.  
 40.00 Set a post cor. 1/4 sec. sec. 5 from which  
 a Lym 24 in. dia, bears at 24° W 10 M<sup>rs</sup> dist,  
 & a Sugar 10" " " S 43° W 12" "  
 43.00 To a Brook 2 M<sup>rs</sup>, wide en. at E,  
 49.13 To 1/4 sec. cor. of sec. 4 M. R. L.  
 59.50 " Branch of Calamuck 15 M<sup>rs</sup>, wide en. at W,  
 shallow, brisk current pure water  
 84.77 To line sec. 4 M. R. L. set post  
 a Beech 6 in. dia, bears S 61° W 36 M<sup>rs</sup> dist,  
 & a Do. 9" " " S 28° E 25" "  
 Land hilly dry & third rate timber  
 is Beech Sugar Lym Oak Poplar ash  
 Elm & Hickory, Ironwood & Beech brush

North Between sections 5 & 6,  
 6.22 To a Sugar 11 in. diam,  
 7.90 " " Stream 6 M<sup>rs</sup>, wide en. at W,  
 brisk current & pure water,  
 17.25 To a Sugar 20 in. dia. -  
 29.79 " " Do. 16" "  
 40.00 Set gp. Sec. post from which  
 a Beech 6 in. dia, bears S 56° W 12 M<sup>rs</sup> dist,  
 & a Do. 22" " " N 33° E 31 1/2" "  
 43.20 To a Sugar 20" " -  
 66.07 " " Poplar 24" " -  
 74.72 " " Beech 12" " "



<sup>2nd</sup> T. 36 N. - R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

84.03 Intersect N. boundary of Township 16th,  
E. of post & set post. cor., sec. 5 & 6,  
a Sugar 20 in. dia, bears S 52° W 36 1/4 M. 9 1/4  
Van Elm 2 1/4 " " " South 40 " "  
Land rolling dry & 3<sup>rd</sup> rate,  
On S.W. qr. of sec. 6, a saw-mill in operation  
& on N.W. qr. a good mill site,  
July 24<sup>th</sup> 1834 - Surveyed by  
William Clark, Dep. Sur,

General Description,  
In the aggregate rolling, N.W. corner hilly  
S.E. part considerable marsh; S. side good  
dry prairie. S.W. corner marsh. & W. part  
thick heavy timber. N.W. heavy timber  
good springs & streams of water affording  
water power for sawmills & other machinery  
Soil in the heavy timber of clay quality  
& mostly 2<sup>nd</sup> rate. Prairie sandy loam,

I hereby certify that in pursuance  
of a contract with Micajah T. Williams  
Surveyor General of the United States for  
the states of Ohio Indiana & Michigan  
Territory, dated 21<sup>st</sup> April 1834 & in strict  
conformity to the laws of the United States  
& the instructions of said Surveyor General  
I have surveyed & subdivided into sections  
Fractional Township 36 North Range 4 West  
of 2<sup>nd</sup> Mer. in the state of Indiana; & I do  
further certify that the foregoing are the true  
& original field notes of the said survey &  
subdivision. Executed as aforesaid.

Certified this 24<sup>th</sup> day of July 1834

William Clark, Dep. Sur.

Alchemist. Chasmon & John Hood, Chaimans  
John Prestor Marker,



<sup>and</sup> T. 36 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

I certify that the foregoing transcript of field notes of Township 36 North, Range 4 West of 2<sup>nd</sup> Meridian in the state of Indiana has been compared with the original in this office and found to be correct.

Surveyor General's office,  
Cincinnati, Sept. 9<sup>th</sup> 1842

William Johnston  
Sur. Genl.

Comp<sup>d</sup>

my  
T. 36 N. - R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Meanders of a lake in Sec. 24, T. 36 N. R. 4 W.,  
Begin at post in E. boundary, N. side of lake

Course	E. L.
N 76 W	5.50
S 4 E	16.00
S 22 E	5.50
S 5 W	5.50
S 37 W	7.00
S 55 E	8.40

Remarks,  
In sec. 24

Intersect Range line at post  
on South side of the lake,

Meanders, of a lake in sec. 19  
Begin at post in W. boundary on  
S. side of lake

N 63 E	2.00
N 81 E	5.50
N 20 E	2.50
N 29 E	3.50
N 15 W	11.00
N 33 W	3.00
N 35 W	3.00
N 76 W	2.00
N 58 W	1.07

Sec. 19

Intersect Range line on N. side  
of the lake. —

Note The foregoing meanders were omitted  
in their proper place, before the final  
certificate, being so placed in the original  
field notes. —